

ROOFING ACCESSORIES

BUILT TO LAST







SHINGLE MATCH FLASHING PROGRAM

We've identified roof flashing best practices...

Based on International Building Codes

























DRIP EDGEA drip edge shall be provided at eaves and gables of shingle roofs. Adjacent pieces of drip edge shall be overlapped a R905.2.8.5 minimum of 2 inches (51 mm).

> and extend up the roof deck a minimum of 2 inches (51 mm). Drip edges shall be mechanically fastened to the roof deck at a maximum of 12 inches (305 mm) o.c. with fasteners as specified in Section R905.2.5. Underlayment shall be installed over the drip edge along eaves and under the underlayment on gables. Unless specified differently by the shingle manufacturer, shingles are permitted to be flush with the drip edge.



FLASHINGSFlashings shall be applied according to the asphalt shingle manufacturer's printed instructions. ...Base flashing R905.2.8.1,3,4 shall be of either corrosion-resistant metal of minimum nominal 0.019-inch (0.5 mm) thickness or mineral surface roll roofing weighing a minimum of 77 pounds per 100 square feet (4 kg/m2). Cap flashing shall be corrosionresistant metal of minimum nominal 0.019-inch (0.5 mm) thickness.

Source: IRC 2018






W-VALLEY Valley linings shall be installed in accordance with the manufacturer's installation instructions before applying R905.2.8.1 manufacturer's installation instructions before applying shingles. Valley linings of the following types shall be

> For open valleys (valley lining exposed) lined with metal, the valley lining shall be at least 24 inches (610 mm) wide and of any of the corrosion-resistant metals in Table R905.2.8.2.

Source: IRC 2018



Product Offering







DRIP EDGE


















METAL VALLEY -



METAL VALLEY



RIBBED + WATERLOCK



Patents

INFINITY DRIP EDGE®

TRUFIT PRE-NOTCHED DRIP EDGE™
U.S. Patents: 8,281,521 | 8,683,695 | 9,370,814
Canadian Patent: 2,768,934





QualityEdge.com

550 3 Mile Rd. NW Suite E Walker, MI 49544 888.784.0878

© 2022 Quality Edge