TRUCEDAR® STEELSIDING



Alto, MI | TruCedar 6" Board & Batten in Ironstone


BUILD FOR A LIFETIME WITH TRUCEDAR[®] STEEL SIDING Low maintenance. Fade resistance. Endless possibilities.

Make an impression without making a compromise. TruCedar[®] Steel Siding is available in several profiles including traditional lap, dutch lap, and board & batten. TruCedar delivers the design options you want with the embossed look to mimic actually wood siding, minus all the maintenance. Our siding resists fading, won't rot, peel or chip, so you can spend time relaxing and loving your home.

LOVE WHERE YOU LIVE

At Quality Edge[®] our product design team works hard to ensure TruCedar Steel Siding has the profiles, sizes, and colors to suit any home design. TruCedar offers 144 combinations of profiles and color for every type of home and style, from an urban oasis nestled in the city to a mountain estate. Whether your style is dark, light, or somewhere in-between, you can find it with TruCedar. Designed to showcase a residential or commercial project, create a look that makes a statement.





ENANCE	8
ΓΑΝΤ	12
SIVE BARRIER	14
STMENT	18
JRAL PROFILES	22
INISHES	28

Pelican Rapids, MN | TruCedar Double 4" in Cider Mill



LOW-MAINTENANCE IS A BEAUTIFUL THING.

Spend your weekends doing what you love, not worrying about your siding. Compared with traditional wood and cement board siding, our steel siding is durable and doesn't need costly repainting or recaulking. TruCedar siding won't melt in the sun or crack in the cold and resists moisture problems that can lead to mold, mildew and wood rot. This means you can spend more time enjoying your home and the people inside.

Holland, MI | TruCedar 10" Board & Batten in Spruce



"WE KNEW THE IDEA WE WANTED WITH SIDING— SOMETHING SUSTAINABLE, WITH A CLASSIC EDGE AND UNIQUE. WE WANTED WARMTH WITH A MODERN TWIST. WE FOUND ALL OF THAT IN QUALITY EDGE"

> – LINDSEY KERR, HOMEOWNER FEATURED IN INHABIT MAGAZINE


FADE-RESISTANT TO LAST A LIFETIME


TruCedar delivers color that is rich, beautiful and durable. Colors won't fade thanks to the proprietary Kynar® PVDF Fluoropolymer coating. Kynar is superior at reflecting the hot, harmful rays of the sun to prevent fading and forms a thick film barrier that provides resistance against wear and tear.


Backed by the Best Warranty Available

Limited Lifetime Warranty includes hail, chalk and fade coverage.

+15 YEARS









A Long History of Protection

The process of galvanization-applying a zinc coating to a steel surface-was first developed in France and England in the 1800's. The method for galvanization involved dipping steel sheets into a bath of molten zinc. This technique quickly became popular across multiple applications for its corrosion resistant properties, and has a long and proven history of providing protection for steel cores out in the elements. This same galvanization technique is used to add an extra layer of durability to TruCedar siding.

"ARCHITECTURE SHOULD SPEAK OF ITS TIME AND PLACE, BUT YEARN FOR TIMELESSNESS."

- FRANK GEHRY



Moorhead, MN | TruCedar Double 4" and 6" Board & Batten in White

"HOMES WITH HIGH CURB APPEAL TEND TO SELL FOR AN AVERAGE OF 7% MORE THAN SIMILAR HOMES."

- REALTOR MAGAZINE



INVEST IN TOMORROW, TODAY

Curb appeal sells homes. With its strength, durability, and longevity—in addition to the lower cost of maintenance steel siding adds to the value of your home, making it a worthwhile investment. In fact, 75% of homeowners who invest in curb appeal say they have a greater desire to be home since completing the project. (Moving.com)



Billings, MT | TruCedar Single 8" in Bennington Beige and 6" Board & Batten in Ironstone


"WITH DESIGNER SIDING—FROM HIGH DEFINITION WOODGRAINS TO RICH SOLIDS— THERE'S SURE TO BE A STEEL SIDING COLOR TO BRING YOUR PERSONAL STYLE HOME."

- THIS OLD HOUSE

ARCHITECTURALLY INSPIRED PROFILES

Don't be limited by one or two profile choices. TruCedar delivers an extensive variety of siding profile and color combinations, and blends with our Vesta profile to create a one-of-a-kind look. Whether you're remodeling or building your home, Quality Edge provides architecturally inspired design options to match your taste and vision. Choose profiles from traditional horizontal options as well as vertical Board & Batten looks to elevate your home's style. We also offer insulated siding for added protection.





Alto, MI | TruCedar 6" Board & Batten in Ironstor

Martin

17/mm

THE

Y REFUGE, PIECE OF NOT A COLD ENIENCE."





YOU'VE GOT PROFILE OPTIONS

Choose from timeless styles and traditional embossed steel designs to complement many home styles.

Top: Single 6", Single 6" Dutch Lap Middle: Double 4", Single 8" Bottom: 6" Board & Batten, 10" Board & Batten



MORE COLORS. MORE POSSIBILITIES.

Designed to echo the characteristics and tones of natural wood, TruCedar Steel Siding woodgrain colors create an impactful, signature look that is as beautiful up close as it is far away. Pair TruCedar woodgrains with solid colors to naturally accentuate a range of diverse styles.

(1) HD2 Woodgrains

A high definition, painted color application that captures the different tones of woodgrain details, creating a multi-dimensional and naturally accurate look that's engineered to maintain its color for a lifetime.

Timeless Solids

(2)

TruCedar Kynar coating protects our steel siding so well, you can choose among the boldest dark solid and purest bright neutral colors.





106 Timber Ash [TASH]

Profile Shown: Double 4" Panel Length: 12 ft 6 ½" Material: Steel Paint: Kynar, HD2, Matte Finish Texture: Embossed Woodgrain Application: Horizontal


Single 6"	Single 6" Dutch Lap	Double 4"	Single 8"	6" Board & Batten	10" Board & Batten



Profile Shown: Single 6" Panel Length: 12 ft 6 ½" Material: Steel Paint: Kynar, HD2, Matte Finish Texture: Embossed Woodgrain Application: Horizontal















Single 6"

Single 8"





M15 Napa Vine [NAP]

Profile Shown: 10" Board & Batten Panel Length: 10 ft Material: Steel Paint: Kynar, HD2, Matte Finish Texture: Embossed Woodgrain Application: Vertical

Single 6"	Single 6" Dutch Lap	Double 4"	Single 8"	6" Board & Batten	10" Board & Batten

M15 Napa Vine [NAP] in 10" Board & Batten



109 Cedar [CDR]

Profile Shown: Single 6" Dutch Lap Panel Length: 12 ft 6 ½" Material: Steel Paint: Kynar, HD2, Matte Finish Texture: Embossed Woodgrain Application: Horizontal

Circle Cl		0.00	CLD	101 0




416 Spruce [SPR]

Profile Shown: Single 8" Panel Length: 12 ft 6 ½" Material: Steel Paint: Kynar, HD2, Matte Finish Texture: Embossed Woodgrain Application: Horizontal















Single 6"

Single 8"



108 Weathered Wood [WWD] in 6" Board & Batten




108 Weathered Wood [WWD]

Profile Shown: 6" Board & Batten Panel Length: 10 ft Material: Steel Paint: Kynar, HD2, Matte Finish Texture: Embossed Woodgrain Application: Vertical















Single 8*

6" Board & Batten 10" Board & Batten

Single 6"





M16 Cider Mill [CID]

Profile Shown: 10" Board & Batten Panel Length: 10 ft Material: Steel Paint: Kynar, HD2, Matte Finish Texture: Embossed Woodgrain Application: Vertical

Single 6"	Single 6" Dutch Lap	Double 4"	Single 8"	6" Board & Batten	10" Board & Batten

M16 Cider Mill [CID] in 10" Board & Batten






467 Evening Shade [EVES]

Profile Shown: Single 6" Dutch Lap Panel Length: 12 ft 6 ½" Material: Steel Paint: Kynar, Solid, Matte Finish Texture: Embossed Woodgrain Application: Horizontal


				8 8 8 8 8	
Cinala C"	Cinala (" Dutata Las	Dauble 4"	Cinala Of	C. Dened C. Debber	10" Deced & Detter



469 Fresh Canvas [FCAN]

Profile Shown: Single 6" Panel Length: 12 ft 6 ½" Material: Steel Paint: Kynar, Solid, Matte Finish Texture: Embossed Woodgrain Application: Horizontal














Single 6"


Single 8"



468 Fawn [FAWN]

Profile Shown: 6" Board & Batten Panel Length: 10 ft Material: Steel Paint: Kynar, Solid, Matte Finish Texture: Embossed Woodgrain Application: Vertical

Single 6"	Single 6" Dutch Lap	Double 4"	Single 8"	6" Board & Batten	10" Board & Batten




470 Midnight Blue [MNBLU]

Profile Shown: Single 6" Panel Length: 12 ft 6 ½" Material: Steel Paint: Kynar, Solid, Matte Finish Texture: Embossed Woodgrain Application: Horizontal















Single 6"

Single 8*



280 White [W] in Double 4"



280 White [W]

Profile Shown: Double 4" Panel Length: 12 ft 6 ¼" Material: Steel Paint: Kynar, Solid, Matte Finish Texture: Embossed Woodgrain Application: Horizontal













Single 6"

Single 6" Dutch Lap

Double 4"

Single 8"



805 Pewter [P805]

Profile Shown: Single 6" Panel Length: 12 ft 6 ½" Material: Steel Paint: Kynar, Solid, Matte Finish Texture: Embossed Woodgrain Application: Horizontal

Single 6"	Single 6" Dutch Lap	Double 4"	Single 8"	6" Board & Batten	10" Board & Batten






405 Foothill Blue [FHB]

Profile Shown: Single 6" Dutch Lap Panel Length: 12 ft 6 ½" Material: Steel Paint: Kynar, Solid, Matte Finish Texture: Embossed Woodgrain Application: Horizontal















Single 6"

Single 8"



307 Ripe Olive [RO]

Profile Shown: Single 6" Dutch Lap Panel Length: 12 ft 6 ½" Material: Steel Paint: Kynar, Solid, Matte Finish Texture: Embossed Woodgrain Application: Horizontal

Single 6"	Single 6" Dutch Lap	Double 4"	Single 8"	6" Board & Batten	10" Board & Batten


the state of the s
and the second sec
a second and a s
and the second state of the second state of the
Carl Product of the second
the second s
Contraction of the second second second
and the second se
the second se
and the second s
and the second se
and the second se
the lot of the second s
and the second sec
and the second se
and the second of the second s
the second se
and the second se
and the second sec
and the second se
and the second s
the second
a second s
and the second
the second se
the second se
and the second s
the second se
the second se
and the second s
and the second se
the second
and the second se
the second se
and the second se
the second se
the second se
the second s
And the second sec
the second s
Concerning and the second se
the second division of
second statement in the second statement of the
the second se
the second s
and the second s
and the second s
THE REAL PROPERTY AND ADDRESS OF THE PARTY O
the second s
the state of the s
509 Norwood [NOR]
Profile Shown: Single 8"
Panel Length: 12 ft 6 ½"
Material: Steel
Material. Sleel

Paint: Kynar, Solid, Matte Finish

Texture: Embossed Woodgrain Application: Horizontal

















Single 6"

Single 8"





414 Ironstone [IRNS]

Profile Shown: 6" Board & Batten Panel Length: 10 ft Material: Steel Paint: Kynar, Solid, Matte Finish Texture: Embossed Woodgrain Application: Vertical

Single 6"	Single 6" Dutch Lap	Double 4"	Single 8"	6" Board & Batten	10" Board & Batten



414 Ironstone [IRNS] in 6" Board & Batten



425 Statuary Bronze [STB]

Profile Shown: Double 4" Panel Length: 12 ft 6 ½" Material: Steel Paint: Kynar, Solid, Matte Finish Texture: Embossed Woodgrain Application: Horizontal


C I	Contract Distance	C	CLD	101 0



401 Bennington Beige [BENB]

Profile Shown: Single 6" Panel Length: 12 ft 6 ½" Material: Steel Paint: Kynar, Solid, Matte Finish Texture: Embossed Woodgrain Application: Horizontal














Single 6"

Single 8"



415 Gray Dusk [GDSK] in Single 6"



415 Gray Dusk [GDSK]

Profile Shown: Single 6" Panel Length: 12 ft 6 ½" Material: Steel Paint: Kynar, Solid, Matte Finish Texture: Embossed Woodgrain Application: Horizontal















Single 6"

Double 4"


Single 8"



503 Eggshell [EGG]

Profile Shown: Single 8" Panel Length: 12 ft 6 ½" Material: Steel Paint: Kynar, Solid, Matte Finish Texture: Embossed Woodgrain Application: Horizontal

Single 6"	Single 6" Dutch Lap	Double 4"	Single 8"	6" Board & Batten	10" Board & Batten




Profile Shown: Single 6" Panel Length: 12 ft 6 ½" Material: Steel Paint: Kynar, Solid, Matte Finish Texture: Embossed Woodgrain Application: Horizontal

















Single 6"


Single 8"





411 Cottage Red [CRED]

Profile Shown: Single 8" Panel Length: 12 ft 6 ¹/2" Material: Steel Paint: Kynar, Solid, Matte Finish Texture: Embossed Woodgrain Application: Horizontal



411 Cottage Red [CRED] in Single 8"






SIDING SYSTEM


TruCedar comes with all the trim and accessories to help you add the finishing touches needed to complete any design.


Cassopolis, MI | TruCedar 6" Board & Batten in White with Vesta 5" Plank in Gilded Grain


TRUCEDAR | LAP AND BOARD & BATTEN PROFILES AND ACCESSORIES

SIDING PROFILES Horizontal & Vertical Options











SINGLE 6"

SINGLE 6" DUTCH LAP


DOUBLE 4"

SINGLE 8"

J-CHANNEL

L-FLASHING

6" BOARD & BATTEN



10" BOARD & BATTEN



SEAMLESS SIDING COIL Non-Embossed, multiple size options



BATTEN TRIM

FASCIA



1-PIECE OUTSIDE

CORNER POST



CORNER POST

2-PIECE OUTSIDE



1-PIECE INSIDE CORNER BLOCK



TRIM COIL





TOUCH-UP PAINT

TRUCEDAR | **PRODUCT DETAILS**

PROFILE

Double 4" Single 6" Standard & Foam Backed Single 6" Dutch Lap Standard & Foam Backed Single 8" 6" Board & Batten 10" Board & Batten

MATERIALS Steel

THICKNESS 0.016"

APPLICATION Horizontal (Lap) Vertical (Board & Batten)

SOLID AND WOODGRAIN COLORS

TruCedar's embossed color palette was designed to bring style to the exterior of a home. Its HD2 woodgrains use two paint colors for high and low key tones for natural wood variations.

COATING

Lap and Board & Batten Kynar[®] (50% PVDF) CarbonTech60™

BUILDING CODE RATINGS

R703.3 Wall Covering Nominal Thickness and attachments. Source: IRC 2018

With zero off-gassing or maintenance concerns, TruCedar is an environmentally friendly siding solution.

MATERIAL/PAINT AND COATINGS DATA

100% Recyclable VOC-free coatings Lead free finishes

With rigorous testing, you can feel safe and at ease, knowing the home is protected.

FLAME SPREAD AND SMOKE DEVELOPED RATINGS ASTM E84-18b Class A Rating

The look of wood, the performance of steel. TruCedar siding steel core provides unmatched impact resistance and doesn't crack, melt or wick water like other siding materials.



UNDERSILL

STARTER STRIP









BRICK LEDGE FLASHING



FERROUS SAW BLADE

TECHNICAL SUPPORT

Complete technical information and literature is available at QualityEdge.com/Resources

WARRANTY

Lifetime Limited Warranty Complete warranty details is available at QualityEdge.com/Warranties

THERE IS NO COMPARISON

We go to great lengths to ensure that form, feel and functionality all come together.

-	STEEL
FADE RESISTANT Resist fading or chalk when exposed to UV rays	
LOW MAINTENANCE INVESTMENT No replacing, painting, recaulking or tuckpointing over a lifetime	++++
DURABILITY & FIRE RESISTANT Resists denting, chipping, rotting and fire/smoke spread	++++
SOLID & WOOD COLOR SELECTIONS Realistic woodgrains and variety of solid colors	++++
SUSTAINABILITY Recyclablility and lifespan of product	+++
INITIAL COST First time initial cost including installation	+++

SOURCES:


 The National Institute for Occupational Safety and Health, 18 June 2015, Web. 4 Dec. 2015
*NIOSH Research Finds Practical Solution to Controlling Hazardous Dust When Cutting Filt Banilla, Emilio. 'Vinyl Siding Health Concerns' Siding Magazine. Np. nd. Web. 8 Oct. 2011
*House Siding Options, Plus Costs, Pros & Cons in 2021' SidingCosts org Web. 8 Feb. 2022
Buyer's Guide for Exterior Siding.' Integrationary / Integration Siding Context (New Volves)

FIBER CEMENT	WOOD COMPOSITE	WOOD	VINYL	BRICK
++	+++	•	++	+ +
++	++	+	+++	+++
+++	+++	++	++	++++
+++	+++	++	+	+
++	++	++	+	+ + +
+++	++	++	+	+++

015. Fiber-Cement Siding." Centers for Disease Control and Preve 012.


spaces/exterior/buyers-guide-for-exterior-siding.

TRUCEDAR



VESTA

DARD & BATTEN	5" PLANK	5" PLANK
Solid & 2 Woodgrain	HD3 Woodgrain	Solid
•		
•		
•		
•		
•		
•		
•		
•		
•		
•		
•		
•		
•		
•		
•		
•		•
•		•
•		•
•		•
•		•
•		•
•		٠
•		•
		•
		•
		•
	•	
	•	
	•	
	•	
	•	





TruCedar Single 6" in Fresh Canvas

QualityEdge.com

550 3 Mile Rd. NW Suite E Walker, MI 49544 888.784.0878

© 2024 Quality Edge

TCBROCH24