

2026
NORTHEAST SPECIFICATION GUIDE





LOCATIONS



MANUFACTURED &
DELIVERED FROM
ARLINGTON, TX

MANUFACTURED &
DELIVERED FROM
WALKER, MI

MANUFACTURED &
DELIVERED FROM
BERGEN, NY

MANUFACTURED &
DELIVERED FROM
GARDEN CITY, GA



TABLE OF CONTENTS

ROOFING ACCESSORIES

Roofing Accessories 1

SIDING ACCESSORIES

Starter Strip 15

SOFFIT & ACCESSORIES

Soffit 19

Fascia 25

Accessories 27

TRIM COIL

Trim Coil 31

Accessories 32

RAINWARE

Rainware 39

Gutter Protection 51

UNDERDECKING

Underdecking & Accessories 55

STEEL SIDING

Vesta® Steel Siding & Accessories 69

TruCedar® Steel Siding & Accessories 81

TABLE OF CONTENTS



NY COLOR OFFERING | STANDARD

<i>NEW</i> Color Code & Name	<i>Previous NY</i> Color Code & Name
518 Black [BLK]	N04 Black
502 Brown [B]	N32 Royal Brown
827 Champagne [CAB]	N09 Eggshell (Cameo)
807 Clay [C]	N08 Clay
819 Herringbone [HER]	Herringbone
175 High Gloss White [HGW]	N20 High Gloss White
515 Low Gloss White [W]	N22 Low Gloss White
774 Pebble Clay [RYLPEB]	Pebble Clay
511 Terratone [TER]	N40 Terratone
280 White [W]	N42 White
809 Wicker [WIC]	N45 Wicker

QE SYSTEM COLOR OFFERING

518 Black	511 Terratone	502 Brown	507 Mocha	508 Musket
522 Forest	411 Cottage Red	470 Midnight Blue	467 Evening Shade	468 Fawn
414 Ironstone	605 Eldridge Gray	204 Granite	462 Silver Lining	805 Pewter
509 Norwood	807 Clay	177 Sandy Beige	819 Herringbone	469 Fresh Canvas
809 Wicker	327 Desert Tan	606 Cozy Cottage	827 Champagne	503 Eggshell
523 Snowmist	280 White			

Although we make every effort to ensure color accuracy in our printing process, due to printing limitations, your final products may not be an exact match to those shown.

Building Codes & Best Practices

DRIP EDGE

507.2.8.3, R905.2.8.5 Drip edge. A drip edge shall be provided at eaves and rake edges of shingle roofs. Adjacent segments of the drip edge shall be lapped not less than 2 inches. The vertical leg of drip edges shall not be less than 1 ½ inches in width... and shall extend back on the roof not less than 2 inches. SOURCE: IBC & IRC 2018

R905.2.8.6 Drip edge. Provide drip edge at eaves and gables of shingle roofs. Overlap to be a minimum of 3 inches. Eave drip edges shall extend ½ inch below sheathing and extend back on the roof a minimum of 2 inches. SOURCE: Florida RBC

FLASHINGS

R905.2.8.4 Other flashings. Flashing against a vertical front wall, as well as soil stack, vent pipe and chimney flashing, shall be applied in accordance with the asphalt shingle manufactures printed instructions. Source: IRC 2018


VALLEYS

R905.2.8.1 Valleys. Valley linings shall be installed in accordance with the manufacturers instructions before applying shingles. Source: IRC 2018

ROOFING
ACCESSORIES

Painted Aluminum
Heavy Duty: .016"

Drip & Rake Edges




SKU	FEATURE	METAL/ THICKNESS	FINISH	LENGTH & SHIPPING	COLOR AVAILABILITY
F4.5H_R <i>Drip Edge</i>	Hemmed	Aluminum 0.016"	Q800	10 ft length 500 ft/ctn 50 pc/ctn	518 Black 502 Brown 280 White
F5H_R <i>Drip Edge</i>	Hemmed with crimped nailing flange	Aluminum 0.016"	Q800	10 ft length 500 ft/ctn 50 pc/ctn	502 Brown 280 White
F5MH_R <i>Drip Edge</i>	Hemmed with crimped nailing flange	Aluminum 0.016"	Q800	10 ft length 500 ft/ctn 50 pc/ctn	518 Black 502 Brown 280 White
F5.5H_R <i>Drip Edge</i>	Hemmed with crimped nailing flange	Aluminum 0.016"	Q800	10 ft length 500 ft/ctn 50 pc/ctn	518 Black 502 Brown 280 White

SKU	FEATURE	METAL/ THICKNESS	FINISH	LENGTH & SHIPPING	COLOR AVAILABILITY
ODEH_R <i>Drip Edge</i>	Hemmed with crimped nailing flange	Aluminum 0.016"	Q800	10 ft length 500 ft/ctn 50 pc/ctn	518 Black 502 Brown 280 White 809 Wicker
ADE34H_R <i>Drip Edge</i>	Hemmed with crimped nailing flange	Aluminum 0.016"	Q800	10 ft length 500 ft/ctn 50 pc/ctn	280 White
C3.5_R <i>Rake Edge</i>	No Hem with crimped nailing flange	Aluminum 0.016"	Q800	10 ft length 500 ft/ctn 50 pc/ctn	518 Black 502 Brown 280 White
C4.5_R <i>Rake Edge</i>	No Hem with crimped nailing flange	Aluminum 0.016"	Q800	10 ft length 500 ft/ctn 50 pc/ctn	280 White

Painted Aluminum
Heavy Duty: .019"

Drip & Rake
Edges




SKU	FEATURE	METAL/ THICKNESS	FINISH	LENGTH & SHIPPING	COLOR AVAILABILITY
F4.5H_C Drip Edge	Hemmed with crimped nailing flange	Aluminum 0.019"	Q800	10 ft length 500 ft/ctn 50 pc/ctn	280 White <i>QE System Colors Also Available Upon Request</i>
F5H_C Drip Edge	Hemmed with crimped nailing flange	Aluminum 0.019"	Q800	10 ft length 500 ft/ctn 50 pc/ctn	518 Black 502 Brown 280 White <i>QE System Colors Also Available Upon Request</i>
F5MH_C Drip Edge	Hemmed with crimped nailing flange	Aluminum 0.019"	Q800	10 ft length 500 ft/ctn 50 pc/ctn	518 Black 502 Brown 280 White <i>QE System Colors Also Available Upon Request</i>
F5.5H_C Drip Edge	Hemmed with crimped nailing flange	Aluminum 0.019"	Q800	10 ft length 500 ft/ctn 30 pc/ctn	280 White <i>QE System Colors Also Available Upon Request</i>
ODEH_C Drip Edge	Hemmed with crimped nailing flange	Aluminum 0.019"	Q800	10 ft length 500 ft/ctn 30 pc/ctn	518 Black 502 Brown 280 White <i>QE System Colors Also Available Upon Request</i>

SKU	FEATURE	METAL/ THICKNESS	FINISH	LENGTH & SHIPPING	COLOR AVAILABILITY
F5DE_C Drip Edge	No Hem	Aluminum 0.019"	Q800	10 ft length 500 ft/ctn 50 pc/ctn	518 Black 502 Brown 827 Champagne 280 White <i>QE System Colors Also Available Upon Request</i>
C3.5_C Rake Edge	No Hem Crimped nailing flange	Aluminum 0.019"	Q800	10 ft length 500 ft/ctn 50 pc/ctn	518 Black 502 Brown 280 White <i>QE System Colors Also Available Upon Request</i>
C4.5_C Rake Edge	No Hem Crimped nailing flange	Aluminum 0.019"	Q800	10 ft length 500 ft/ctn 50 pc/ctn	518 Black 502 Brown 280 White <i>QE System Colors Also Available Upon Request</i>
ADE34H_C Drip Edge	Hemmed with crimped nailing flange	Aluminum 0.019"	Q800	10 ft length 500 ft/ctn 50 pc/ctn	518 Black 502 Brown 807 Clay 280 White 809 Wicker <i>QE System Colors Also Available Upon Request</i>

Painted Aluminum
Heavy Duty: .019"


Drip, Rake
& ReRoof Edges



SKU	FEATURE	METAL/ THICKNESS	FINISH	LENGTH & SHIPPING	COLOR AVAILABILITY
F4.5DE_019 <i>Drip Edge</i>	No Hem	Aluminum 0.019"	Q800	10 ft length 500 ft/ctn 50 pc/ctn	518 Black 502 Brown 280 White <i>QE System Colors Also Available Upon Request</i>
FR5_019 <i>ReRoof</i>	No Hem	Aluminum 0.019"	Q800	10 ft length 500 ft/ctn 50 pc/ctn	518 Black 502 Brown 280 White <i>QE System Colors Also Available Upon Request</i>

SKU	FEATURE	METAL/ THICKNESS	FINISH	LENGTH & SHIPPING	COLOR AVAILABILITY
ODE_019 <i>Drip Edge</i>	No Hem	Aluminum 0.019"	Q800	10 ft length 500 ft/ctn 50 pc/ctn	518 Black 502 Brown 280 White <i>QE System Colors Also Available Upon Request</i>
C5.5_C <i>Rake Edge</i>	No Hem Crimped nailing flange	Aluminum 0.019"	Q800	10 ft length 500 ft/ctn 50 pc/ctn	280 White <i>QE System Colors Also Available Upon Request</i>


Galvanized Steel
Drip Edges







SKU	FEATURE	METAL/ THICKNESS	FINISH	LENGTH & SHIPPING	COLOR AVAILABILITY
GF5DE <i>Drip Edge</i>	No Hem	Steel 0.016"	Q800 Mill	10 ft length 25 ft/ctn 25 pc/ctn	518 Black 502 Brown 280 White 000 Mill
GODE <i>Drip Edge</i>	No Hem	Steel 0.016"	Q800 Mill	10 ft length 25 ft/ctn 25 pc/ctn	518 Black 502 Brown 280 White


SKU	FEATURE	METAL/ THICKNESS	FINISH	LENGTH & SHIPPING	COLOR AVAILABILITY
GF5H <i>Drip Edge</i>	Hemmed	Steel 0.016"	Q800 Mill	10 ft length 25 ft/ctn 25 pc/ctn	280 White


Prebent
Step Flashing



DESCRIPTION	SKU	METAL/ THICKNESS	FINISH	LENGTH & SHIPPING	COLOR AVAILABILITY
2.5"x2.5"x7" Prebent Step Flashing	2.5X2.5X7SF	Aluminum 0.011"	Q800 Mill	500 pc/ctn	518 Black 502 Brown 807 Clay 280 White 809 Wicker 000 Mill
					
3"x3"x8" Prebent Step Flashing	3X3X8SF	Aluminum 0.011"	Q800 Mill	500 pc/ctn	518 Black 502 Brown 000 Mill
					
4"x4"x8" Prebent Step Flashing	4X4X8SF	Aluminum 0.011"	Q800 Mill	300 pc/ctn	518 Black 502 Brown 000 Mill
					
4"x4"x8" Prebent Step Flashing	4X4X8SF20	Aluminum 0.011"	Mill	20 pc/ctn	000 Mill
					

Apron & Valley
Flashing



DESCRIPTION	SKU	METAL/ THICKNESS	FINISH	LENGTH & SHIPPING	COLOR AVAILABILITY
3"x5" - 105 degree Apron Flashing	APF3X5	Aluminum 0.019"	Q800	10 ft length 500 ft/ctn 50 pc/ctn	518 Black 502 Brown 280 White
					
DESCRIPTION	SKU	METAL/ THICKNESS	FINISH	LENGTH & SHIPPING	COLOR AVAILABILITY
14"x50 ft Valley Flashing	ARF14X50	Aluminum 0.011"	Mill	50 ft length	000 Mill
20"x50 ft Valley Flashing	ARF20X50	Aluminum 0.011"	Mill	50 ft length	000 Mill

Building Codes & Best Practices


R703.3 Flashings. Approved corrosion-resistant flashing shall be applied shingle-fashion in a manner to prevent entry of water into the wall cavity or penetration of water in the building structural framing.
SOURCE: IRC 2018

SIDING & TRIM
ACCESSORIES

Starter Strip



DESCRIPTION	SKU	METAL/ THICKNESS	FINISH	LENGTH & SHIPPING	COLOR AVAILABILITY
3" Galvanized Starter Strip	3SSGAL	Steel 0.0155"	Galvanized (G40+)	10 ft length 25 pc/ctn 40 lb/ctn 63 ctn/plt 10 plt/trk	Color Varies
					

DESCRIPTION	SKU	METAL/ THICKNESS	FINISH	LENGTH & SHIPPING	COLOR AVAILABILITY
3" Aluminum Starter Strip	SSA	Aluminum	0.019"	10 ft length 50 pc/ctn 25 lb/ctn 48 ctn/plt 10 plt/trk	Color Varies
					

Building Codes & Best Practices

SOFFIT

"Proper ventilation [more in-take through soffit than exhaust through roof vents] can lower the attic temperature by as much as 50°F, which significantly reduces the home's heating and cooling, demands. Ridge and soffit vents help keep the attic space well-ventilated, preventing a build-up of moisture and reducing heat in summer. These vents can prolong the life of the roof."

Typical one foot soffit overhangs should have at least an 11 NFA, so when used on both sides of the home will have a combined NFA of 22 to draw the air flow needed to work with a ridge vent system.

SOURCE: U.S. Department of Energy
https://web.archive.org/web/201N3925234940/http://www1.eere.energy.gov/buildings/openhouse/soffit_vents.html/#

SOFFIT &
ACCESSORIES


SOFFIT & ACCESSORIES




The right Soffit changes everything.

Quality Edge has designed, engineered and patented some of the most attractive and best performing ventilation products in the industry. With proper ventilation, cool, dry air is drawn in through the soffit and replaces the hot moist air that is created in your attic.

TruVent®
Hidden Vent
Soffit
Solid Finish



TruVent®
Hidden Vent
Soffit
Woodgrain
Finish



DESCRIPTION	SKU	METAL/ THICKNESS	FINISH	LENGTH & SHIPPING	COLOR AVAILABILITY
Hidden Vent Solid Finish	HVS	Aluminum 0.019"	Q800 TuffTech	12 ft length 16 pc/ctn 68 lb/ctn 27 ctn/plt 8 plt/trk 192 sq ft	System Colors

NFA: 11.0

DESCRIPTION	SKU	METAL/ THICKNESS	FINISH	LENGTH & SHIPPING	COLOR AVAILABILITY
Hidden Vent Woodgrain Finish	HVS	Aluminum 0.019"	Q800 TuffTech	12 ft length 16 pc/ctn 68 lb/ctn 27 ctn/plt 8 plt/trk 192 sq ft	943 Karri [K] 948 Medium Teak [TEAK]

NFA: 11.0




PATENTS
U.S. Patents: 7,137,224
Canadian Patent: 2,496,496




PATENTS
U.S. Patents: 7,137,224
Canadian Patent: 2,496,496

D6 Soffit



DESCRIPTION	SKU	METAL/ THICKNESS	FINISH	LENGTH & SHIPPING	COLOR AVAILABILITY
.019" Double 6" Vented	D6VS	Aluminum 0.019"	Q800 TuffTech	12 ft length	QE System Colors:
				16 pc/ctn 60 lb/ctn 33 ctn/plt 8 plt/trk	518 Black [BLK] 502 Brown [B] 827 Champagne [CAB] 807 Clay [C] 411 Cottage Red [CRED] 606 Cozy Cottage [CC] 327 Desert Tan [DTAN] 503 Eggshell [EGG] 605 Eldridge Gray [EG] 467 Evening Shade [EVES] 468 Fawn [FAWN] 522 Forest [FOR]
				200 sq ft	469 Fresh Canvas [FCAN] 204 Granite [GRT204] 819 Herringbone [HER] 414 Ironstone [IRNS] 470 Midnight Blue [MNBLU] 507 Mocha [MOC] 508 Musket [MUS] 509 Norwood [NOR] 805 Pewter [P805] 177 Sandy Beige [SB177] 462 Silver Lining [SVRL] 523 Snowmist [SMT] 511 Terratone [TER] 280 White [W] 809 Wicker [WIC]
.019" Double 6" Solid	D6SS	Aluminum 0.019"	Q800 TuffTech	12 ft length	
				16 pc/ctn 60 lb/ctn 33 ctn/plt 8 plt/trk	
				200 sq ft	



12" Soffit



DESCRIPTION	SKU	METAL/ THICKNESS	FINISH	LENGTH & SHIPPING	COLOR AVAILABILITY
12" Fully Vented	SV	Aluminum 0.019"	Q800 TuffTech	12 ft length	QE System Colors:
				16 pc/ctn 60 lb/ctn 33 ctn/plt 8 plt/trk	518 Black [BLK] 502 Brown [B] 827 Champagne [CAB] 807 Clay [C] 411 Cottage Red [CRED] 606 Cozy Cottage [CC] 327 Desert Tan [DTAN] 503 Eggshell [EGG] 605 Eldridge Gray [EG] 467 Evening Shade [EVES] 468 Fawn [FAWN] 522 Forest [FOR]
				192 sq ft	469 Fresh Canvas [FCAN] 204 Granite [GRT204] 819 Herringbone [HER] 414 Ironstone [IRNS] 470 Midnight Blue [MNBLU] 507 Mocha [MOC] 508 Musket [MUS] 509 Norwood [NOR] 805 Pewter [P805] 177 Sandy Beige [SB177] 462 Silver Lining [SVRL] 523 Snowmist [SMT] 511 Terratone [TER] 280 White [W] 809 Wicker [WIC]
12" Center Vented	CV	Aluminum 0.019"	Q800 TuffTech	12 ft length	
				16 pc/ctn 60 lb/ctn 33 ctn/plt 8 plt/trk	
				192 sq ft	
12" Solid	S	Aluminum 0.019"	Q800 TuffTech	12 ft length	
				16 pc/ctn 60 lb/ctn 33 ctn/plt 8 plt/trk	
				192 sq ft	

Fascia
Ribbed .019"



DESCRIPTION	SKU	METAL/ THICKNESS	FINISH	LENGTH & SHIPPING	COLOR AVAILABILITY
6" Fascia <i>Ribbed</i>	6F_BLDR	Aluminum 0.019"	Q800	12 ft length 25 pc/ctn 52 lb/ctn 30 ctn/plt 8 plt/trk	518 Black [BLK] 502 Brown [B] 827 Champagne [CAB] 807 Clay [C] 327 Desert Tan [DTAN] 509 Norwood [NOR] 511 Terratone [TER] 280 White [W]
					
8" Fascia <i>Ribbed</i>	8F_BLDR	Aluminum 0.019"	Q800	12 ft length 25 pc/ctn 68 lb/ctn 28 ctn/plt 8 plt/trk	502 Brown [B] 280 White [W]
					

NEW 6" 3-Rib Fascia Coming soon!



Fascia
Ribbed .024"



DESCRIPTION	SKU	METAL/ THICKNESS	FINISH	LENGTH & SHIPPING	COLOR AVAILABILITY
4" Fascia Ribbed	4F	Aluminum 0.024"	Q800	12 ft length	QE System Colors:
				25 pc/ctn 45 lb/ctn 40 ctn/plt 8 plt/trk	518 Black [BLK] 502 Brown [B] 827 Champagne [CAB] 807 Clay [C] 411 Cottage Red [CRED] 606 Cozy Cottage [CC] 327 Desert Tan [DTAN] 503 Eggshell [EGG] 605 Eldridge Gray [EG] 467 Evening Shade [EVES] 468 Fawn [FAWN] 522 Forest [FOR] 469 Fresh Canvas [FCAN] 204 Granite [GRT204] 819 Herringbone [HER] 414 Ironstone [IRNS] 470 Midnight Blue [MNBULU] 507 Mocha [MOC] 508 Musket [MUS] 509 Norwood [NOR] 805 Pewter [P805] 177 Sandy Beige [SB177] 462 Silver Lining [SVRL] 523 Snowmist [SMT] 511 Terratone [TER] 280 White [W] 809 Wicker [WIC]
6" Fascia Ribbed	6F	Aluminum 0.024"	Q800	12 ft length	
				25 pc/ctn 62 lb/ctn 30 ctn/plt 8 plt/trk	
8" Fascia Ribbed	8F	Aluminum 0.024"	Q800	12 ft length	
				25 pc/ctn 62 lb/ctn 30 ctn/plt 8 plt/trk	
10" Fascia Ribbed	10F	Aluminum 0.024"	Q800	12 ft length	
				25 pc/ctn 98 lb/ctn 24 ctn/plt 8 plt/trk	

J-Channel &
F-Channel



SIZE	SKU	METAL/ THICKNESS	FINISH	LENGTH & SHIPPING	COLOR AVAILABILITY
(0.375") 3/8" J-Channel	J	Aluminum 0.019"	Q800 TuffTech	12 ft length	QE System Colors:
				25 pc/ctn 17 lb/ctn 100 ctn/plt 8 plt/trk	518 Black [BLK] 502 Brown [B] 827 Champagne [CAB] 807 Clay [C] 411 Cottage Red [CRED] 606 Cozy Cottage [CC] 327 Desert Tan [DTAN] 503 Eggshell [EGG] 605 Eldridge Gray [EG] 467 Evening Shade [EVES] 468 Fawn [FAWN] 522 Forest [FOR] 469 Fresh Canvas [FCAN] 204 Granite [GRT204] 819 Herringbone [HER] 414 Ironstone [IRNS] 470 Midnight Blue [MNBLU] 507 Mocha [MOC] 508 Musket [MUS] 509 Norwood [NOR] 805 Pewter [P805] 177 Sandy Beige [SB177] 462 Silver Lining [SVRL] 523 Snowmist [SMT] 511 Terratone [TER] 280 White [W] 809 Wicker [WIC]
(0.50") 1/2" J-Channel	J5	Aluminum 0.019"	Q800 TuffTech	12 ft length	
				25 pc/ctn 17 lb/ctn 100 ctn/plt 8 plt/trk	<i>F5 & J5 Also available in</i> 943 Karri [K] 948 Medium Teak [MT]
(0.375") 3/8" F-Channel	F	Aluminum 0.019"	Q800 TuffTech	12 ft length	
				25 pc/ctn 36 lb/ctn 50 ctn/plt 10 plt/trk	
(0.50") 1/2" F-Channel	F5	Aluminum 0.019"	Q800 TuffTech	12 ft length	
				25 pc/ctn 36 lb/ctn 50 ctn/plt 10 plt/trk	

Mitre Divider




SIZE	SKU	METAL/ THICKNESS	FINISH	LENGTH & SHIPPING	COLOR AVAILABILITY
(0.375") 3/8" Mitre Divider	MD	Aluminum 0.019"	Q800 TuffTech	10 ft length	QE System Colors:
				10 pc/ctn 15 lb/ctn 48 ctn/plt 10 plt/trk	518 Black [BLK] 502 Brown [B] 827 Champagne [CAB] 807 Clay [C] 411 Cottage Red [CRED] 606 Cozy Cottage [CC] 327 Desert Tan [DTAN] 503 Eggshell [EGG] 605 Eldridge Gray [EG] 467 Evening Shade [EVES] 468 Fawn [FAWN] 522 Forest [FOR] 469 Fresh Canvas [FCAN] 204 Granite [GRT204] 819 Herringbone [HER] 414 Ironstone [IRNS] 470 Midnight Blue [MNBLU] 507 Mocha [MOC] 508 Musket [MUS] 509 Norwood [NOR] 805 Pewter [P805] 177 Sandy Beige [SB177] 462 Silver Lining [SVRL] 523 Snowmist [SMT] 511 Terratone [TER] 280 White [W] 809 Wicker [WIC]
(0.50") 1/2" Mitre Divider	MD5	Aluminum 0.019"	Q800 TuffTech	10 ft length	MD5 Also available in 943 Karri [K] 948 Medium Teak [MT]
				10 pc/ctn 15 lb/ctn 48 ctn/plt 10 plt/trk	

Best Practices

QE offers a wide variety of trim coil for custom fabricating decorative accents and design elements, and for protecting hard-to-reach areas. Our trim coil comes in many different finishes, metals, thicknesses and colors to suit a variety of purposes. Whether you're using treated or untreated lumber, we have the exact product for you!

TRIM
COIL

Poly
Smooth
Finish
Trim Coil



.019" Painted Aluminum

SIZE	SKU	METAL/ THICKNESS	FINISH	LENGTH	NOTES	COLOR AVAILABILITY
14" x 50 ft	TC1450	Aluminum 0.019"	Q800	1 roll	Smooth	518 Black/502 Brown 502 Brown/280 White 280 White/280 White
24" x 50 ft	T	Aluminum 0.019"	Q800	1 roll	Smooth	518 Black/280 White 502 Brown/280 White 827 Champagne/280 White 807 Clay/280 White 510 Sand/280 White 511 Terratone/280 White 280 White/280 White 809 Wicker/280 White

Trim Nails

SIZE	SKU	METAL	NOTES	COLOR AVAILABILITY
(1.25") 1 ¼" Trim Nails	TNSS_SM1/4	Steel	1/4 lb box	518 Black 502 Brown 827 Champagne 807 Clay 819 Herringbone 774 Pebble Clay 510 Sand 511 Terratone 280 White 809 Wicker
(1.25") 1 ¼" Trim Nails	TNSS	Steel	1 lb box	

Building Codes & Best Practices

The roof directs water into the gutters. Without free-flowing gutters and downspouts, water can collect and create problems. That’s why QE Gutter Protection is an important part of any roof.

TruGuard® Gutter Protection attaches to the fascia—not to the roof—with patented fasteners. It strengthens your existing gutters. It’s patented nose-forward design means that only water can get in—leaves, pine needles and debris are kept out—assuring the free flow of water from the roof to the ground.

GUTTER
PROTECTION
& RAINWARE

GUTTER PROTECTION & RAINWARE



Getting moisture down and out.


The roof directs water into the gutters. Without free-flowing gutters and downspouts, water can collect and create problems. That's why QE Gutter Protection and Rainware are an important part of any roof.

TruGuard® Gutter Protection attaches to the fascia—not to the roof—with patented fasteners. It strengthens your existing gutters. It's patented nose-forward design means that only water can get in—leaves, pine needles and debris are kept out – assuring the free flow of water from the roof to the ground.




518 Black	502 Brown	507 Mocha	
807 Clay	809 Wicker	515 Low Gloss White	175 High Gloss White



5" K-Style
Gutter System


SIZE	SKU	METAL/ THICKNESS	FINISH	LENGTH	COLOR AVAILABILITY
.027" 5" K-Style Gutter	027_G5	Aluminum 0.027"	Q800	Available Lengths: 10', 16', 21', 26', 30' & 33' All 6 pcs/ctn Other sizes & Colors Special Order.	518 Black [BLK] 502 Brown [B] 807 Clay [C] 175 High Gloss White [HGW] 515 Low Gloss White [W] 507 Mocha [MOC] 809 Wicker [WIC]
					
.032" 5" K-Style Gutter	032_G5	Aluminum 0.032"	Q800	Available Lengths: 10', 16', 21', 26', 30' & 33' All 6 pcs/ctn Other sizes & Colors Special Order.	518 Black [BLK] 502 Brown [B] 807 Clay [C] 175 High Gloss White [HGW] 515 Low Gloss White [W] 507 Mocha [MOC] 809 Wicker [WIC]
					
5" End Caps	5LEC 5REC	Aluminum 0.019"	Q800	50 pcs/ctn 50 pcs/ctn	518 Black [BLK] 502 Brown [B] 807 Clay [C] 175 High Gloss White [HGW] 515 Low Gloss White [W] 507 Mocha [MOC] 809 Wicker [WIC]
					

2" x 3"
Downpipe & Elbows
.019"

SIZE	SKU	METAL/ THICKNESS	FINISH	LENGTH & SHIPPING	COLOR AVAILABILITY
2" x 3" 10' Downpipe	2X3DP_	Aluminum 0.019"	Q800	10 pc/ctn 10' length	518 Black [BLK] 502 Brown [B] 807 Clay [C] 175 High Gloss White [HGW] 515 Low Gloss White [W] 507 Mocha [MOC] 809 Wicker [WIC]
					
2" x 3" A Elbow	2X3AE_	Aluminum 0.019"	Q800	30 pc/ctn	518 Black [BLK] 502 Brown [B] 807 Clay [C] 175 High Gloss White [HGW] 515 Low Gloss White [W] 507 Mocha [MOC] 809 Wicker [WIC]
					
2" x 3" B Elbow	2X3BE_	Aluminum 0.019"	Q800	30 pc/ctn	
					

5" K-Style Aluminum
Gutter Accessories

SIZE	DESCRIPTION	SKU	METAL/ THICKNESS	FINISH	LENGTH & SHIPPING	COLOR AVAILABILITY
5" Box Mitre	Inside	5IBM	Aluminum 0.019"	Q800	20 pc/ctn	518 Black [BLK] 502 Brown [B] 807 Clay [C] 175 High Gloss White [HGW] 515 Low Gloss White [W] 507 Mocha [MOC] 809 Wicker [WIC]
						
	Outside	5OBM	Aluminum 0.019"	Q800	20 pc/ctn	
						
5" Strip Mitre	Inside	5ISM	Aluminum 0.019"	Q800	20 pc/ctn	
						
	Outside	5OSM	Aluminum 0.019"	Q800	20 pc/ctn	
						
5" End Section with Outlet	NA	5ES_	Aluminum 0.019"	Q800	30 pc/ctn	502 Brown 175 High Gloss White 515 White
						
5" Slip Joint Connector	NA	5SJ	Aluminum 0.019"	Q800	50 pc/ctn	502 Brown 175 High Gloss White 515 White
						
5" Wrap Around Hangers	NA	5WAH	Aluminum 0.019"	Q800	100 pc/ctn	502 Brown 175 High Gloss White 515 White
						


SIZE	DESCRIPTION	SKU	FINISH	LENGTH & SHIPPING	COLOR AVAILABILITY
5" Elite Quick Screw Hanger	With Clip	5HHEQSWC	Mill		000 Mill
					
5" Quick Screw-on Hanger	With Clip	5HHQSWC	Mill		000 Mill
					
2"x3" Outlet	NA	2X3OUTLET	Mill	30 pc/ctn	000 Mill
					

5" K-Style Aluminum
Gutter Accessories



SIZE	SKU	METAL/ THICKNESS	FINISH	LENGTH & SHIPPING	COLOR AVAILABILITY
Universal Downspout Pipe Band	PB	Aluminum 0.019"	Q800	100 pc/ctn	518 Black [BLK] 502 Brown [B] 807 Clay [C] 175 High Gloss White [HGW] 515 Low Gloss White [W] 507 Mocha [MOC] 809 Wicker [WIC]
					
3" Pipe Clip	3CLIP_	Aluminum 0.019"	Q800	50 pc/bag	
					

SIZE	SKU	METAL/ THICKNESS	FINISH	LENGTH & SHIPPING	COLOR AVAILABILITY
Spray Paint	P16	NA	NA	12 cans/ctn	518 Black [BLK] 502 Brown [B] 807 Clay [C] 175 High Gloss White [HGW] 515 Low Gloss White [W] 507 Mocha [MOC] 809 Wicker [WIC]
					
Pop Rivets	PR	NA	NA	10 bags of 100 pc each <i>(1,000 pc total)</i>	
					
1/2" Zip Screws	1/2ZIPS_	NA	NA	100 bags of 100 pc each	518 Black [BLK] 502 Brown [B] 807 Clay [C] 175 High Gloss White [HGW] 515 Low Gloss White [W] 507 Mocha [MOC] 809 Wicker [WIC]
					

6" K-Style
Gutter System


SIZE	SKU	METAL/ THICKNESS	FINISH	LENGTH	COLOR AVAILABILITY
.032" 6" K-Style Gutter	032_G6	Aluminum 0.032"	Q800	Available Lengths: 10', 16', 21', 26', 30' & 33' All 6 pcs/ctn Other sizes & Colors Special Order.	518 Black [BLK] 502 Brown [B] 807 Clay [C] 175 High Gloss White [HGW] 515 Low Gloss White [W] 507 Mocha [MOC] 809 Wicker [WIC]
					
6" End Caps	6LEC 6REC	Aluminum 0.019"	Q800	50 pcs/ctn 50 pcs/ctn	518 Black [BLK] 502 Brown [B] 807 Clay [C] 175 High Gloss White [HGW] 515 Low Gloss White [W] 507 Mocha [MOC] 809 Wicker [WIC]
					

6" K-Style Aluminum
Gutter Accessories

SIZE	DESCRIPTION	SKU	METAL/ THICKNESS	FINISH	LENGTH & SHIPPING	COLOR AVAILABILITY
6" Box Mitre	Inside	6IBM	Aluminum 0.019"	Q800	20 pc/ctn	518 Black [BLK] 502 Brown [B] 807 Clay [C] 175 High Gloss White [HGW] 515 Low Gloss White [W] 507 Mocha [MOC] 809 Wicker [WIC]
	Outside	6OBM	Aluminum 0.019"	Q800	20 pc/ctn	
						
6" Strip Mitre	Inside	6ISM	Aluminum 0.019"	Q800	20 pc/ctn	
	Outside	6OSM	Aluminum 0.019"	Q800	20 pc/ctn	
						
4" Pipe Clip	NA	4CLIP_	Aluminum 0.019"	Q800	50 pc/box	518 Black [BLK] 502 Brown [B] 807 Clay [C] 175 High Gloss White [HGW] 515 Low Gloss White [W] 507 Mocha [MOC] 809 Wicker [WIC]
						
6" Supreme Screw-on Hanger	With Clip	6HHSUPWC	Mill		300 pc/ctn	000 Mill
						

3" x 4"
Downpipe
.019"

SIZE	SKU	METAL/ THICKNESS	FINISH	LENGTH & SHIPPING	COLOR AVAILABILITY
3" x 4" 10' Downpipe	3X4DP_	Aluminum 0.019"	Q800	10 pc/ctn 10' length	518 Black [BLK] 502 Brown [B] 807 Clay [C] 175 High Gloss White [HGW] 515 Low Gloss White [W] 507 Mocha [MOC] 809 Wicker [WIC]



3" x 4"
Elbows
.019"


SIZE	SKU	METAL/ THICKNESS	FINISH	LENGTH & SHIPPING	COLOR AVAILABILITY
3" x 4" A Elbow	3X4AE20_	Aluminum 0.019"	Q800	20 pc/ctn	518 Black [BLK] 502 Brown [B] 807 Clay [C] 175 High Gloss White [HGW] 515 Low Gloss White [W] 507 Mocha [MOC] 809 Wicker [WIC]



3" x 4" B Elbow	3X4BE18_	Aluminum 0.019"	Q800	18 pc/ctn
--------------------	----------	--------------------	------	-----------






Aluminum
Gutter Coil
.027" & .032"






SIZE	SKU	FEATURE	METAL/ THICKNESS	FINISH	LENGTH & SHIPPING	COLOR AVAILABILITY
(11.75") 11 3/4" .027" Gutter Coil	GC2711.75	Standard	Aluminum 0.027"	Q800	300 lb - 400 lb rolls	518 Black [BLK] 502 Brown [B] 807 Clay [C] 175 High Gloss White [HGW] 515 Low Gloss White [W] 507 Mocha [MOC] 809 Wicker [WIC]
(11.875") 11 7/8" Gutter Coil	GC32117/8	Standard	Aluminum 0.032"	Q800	300 lb rolls	518 Black [BLK] 502 Brown [B] 807 Clay [C] 175 High Gloss White [HGW] 515 Low Gloss White [W] 507 Mocha [MOC] 809 Wicker [WIC]
15" .032" Gutter Coil	GC3215	Standard	Aluminum 0.032"	Q800	300 lb - 400 lb rolls	518 Black [BLK] 502 Brown [B] 807 Clay [C] 175 High Gloss White [HGW] 515 Low Gloss White [W] 507 Mocha [MOC] 809 Wicker [WIC]


TruGuard®
Gutter Protection
& Accessories




DESCRIPTION	SKU	METAL/ THICKNESS	NOTES	FINISH	LENGTH & SHIPPING	COLOR AVAILABILITY
TruGuard® Gutter Protection Kit <i>Includes smart clips</i>	GPP	Aluminum 0.024"	13.5" x 5 ft panel with 5" clip & screws	Kynar	13.5"x5 ft 20 panels 50 clips 52 lb/ctn 30 ctn/plt 10 plt/trk	518 Black [BLK] 507 Mocha [MOC] 508 Musket [MUS] 805 Pewter [P805] 775 Slate Gray [SLTG] 511 Terratone [TER] 515 30° White [W]
	GPP6	Aluminum 0.024"	13.5" x 5 ft panel with 6" clip & screws	Kynar	13.5"x5 ft 20 panels 50 clips 52 lb/ctn 24 ctn/plt 10 plt/trk	
TruGuard® 13.5"x5 ft Panel 	GPPANEL	Aluminum 0.024"	13.5" x 5 ft panel only	Kynar	13.5" x 5 ft 20 pc/ctn 38 lb/ctn 30 ctn/plt 10 plt/trk	518 Black [BLK] 507 Mocha [MOC] 508 Musket [MUS] 805 Pewter [P805] 775 Slate Gray [SLTG] 511 Terratone [TER] 515 30° White [W]
TruGuard® 15"x5 ft Panel 	GP15P	Aluminum 0.024"	15" x 5 ft panel only	Kynar	15" x 5 ft 20 pc/ctn 42 lb/ctn 25 ctn/plt 10 plt/trk	
TruGuard® 5" Clip 	5SCB	-	Includes screws pre-installed in bracket.	-	50 pc/ctn 8 lb/ctn 80 ctn/plt	Black
TruGuard® 6" Clip 	6SCB	-	Includes screws pre-installed in bracket.	-	50 pc/ctn 14 lb/ctn 60 ctn/plt	Black

DESCRIPTION	SKU	METAL/ THICKNESS	NOTES	FINISH	LENGTH & SHIPPING	COLOR AVAILABILITY
18" High- Capacity Ported Panel 	GPPHC18	Aluminum 0.024"		Kynar	10 pc/ctn 6 lb/ctn 50 ctn/plt 10 plt/trk	518 Black [BLK] 507 Mocha [MOC] 508 Musket [MUS] 805 Pewter [P805] 775 Slate Gray [SLTG] 511 Terratone [TER] 515 30° White [W]
Inside Corners 	GPIC	Aluminum 0.024"	Use at bottom of roof valleys	Kynar	10 pc/ctn 3 lb/ctn 100 ctn/plt	518 Black [BLK] 507 Mocha [MOC] 508 Musket [MUS] 805 Pewter [P805] 775 Slate Gray [SLTG] 511 Terratone [TER] 515 30° White [W]
Universal End Caps 	GPUEC	Aluminum 0.024"		Kynar	10 pc/ctn 3 lb/ctn 100 ctn/plt	518 Black [BLK] 507 Mocha [MOC] 508 Musket [MUS] 805 Pewter [P805] 775 Slate Gray [SLTG] 511 Terratone [TER] 515 30° White [W]

Gutter Gekko®
Gutter Protection
& Accessories




DESCRIPTION	SIZE	SKU	METAL/ THICKNESS	NOTES	FINISH	SHIPPING
Gutter Gekko® Micro Mesh Panels	5" x 60"	GGKM5	Aluminum 0.024"	Install by mounting on fascia.	Mill	20 pc/ctn 20 lb/ctn 30 ctn/plt/trk



6" x 60"	GGKM6	Aluminum 0.024"	Install by mounting on fascia.	Mill	20 pc/ctn 21 lb/ctn 30 ctn/plt/trk
----------	-------	--------------------	--------------------------------------	------	--

Gutter Gekko® Straight Mitre	5"	GGKM5SM	Aluminum 0.024"	-	Mill	5 pc/ctn 7 lb/ctn
---------------------------------	----	---------	--------------------	---	------	----------------------



6"	GGKM6SM	Aluminum 0.024"	-	Mill	5 pc/ctn 7 lb/ctn
----	---------	--------------------	---	------	----------------------

Gutter Gekko® Inside Mitre	5"	GGKM5IM	Aluminum 0.024"	-	Mill	5 pc/ctn 7 lb/ctn
-------------------------------	----	---------	--------------------	---	------	----------------------



6"	GGKM6IM	Aluminum 0.024"	-	Mill	5 pc/ctn 7 lb/ctn
----	---------	--------------------	---	------	----------------------

DESCRIPTION	SIZE	SKU	METAL/ THICKNESS	FINISH	SHIPPING	COLOR AVAILABILITY
Gutter Gekko® Universal End Caps	5"	GGKM5EC	Aluminum 0.024"	Q800 TuffTech	Left & Right end caps: 20 pc/ctn 8 lb/ctn	White



6"	GGKM6EC	Aluminum 0.024"	Q800 TuffTech	Left & Right end caps: 20 pc/ctn 8 lb/ctn	White
----	---------	--------------------	------------------	--	-------

Painted Zip Screws	(0.5") 1/2"	1/2ZIPS	Aluminum		1,000 pc/ctn 3 lb/ctn	System Colors
-----------------------	-------------	---------	----------	--	--------------------------	---------------



Use with
Gutter Gekko
Gutter Protection
product

Best Practices

Take the indoors out and expand living space with Inside Out® Underdecking's patented panels. Inside Out creates a finished look to the underside of the deck. No more visual clutter from exposed nails and dirty deck boards overhead.

Inside Out Underdecking channels the water down from the upper deck and away from the home, keeping the area below the deck dry and enjoyable for outdoor living. The specially designed panels and deep water brackets have been tested and approved to handle over 15" of water an hour.

INSIDE OUT® UNDERDECKING

Inside Out® Underdecking in 948 Medium Teak [MT]

Blurring the line between outside and inside.

Take the indoors out and expand living space with Inside Out® Underdecking's panels. Inside Out creates a finished look to the underside of the deck. No more visual clutter from exposed nails and dirty deck boards overhead.


Inside Out Underdecking channels the water down from the upper deck and away from the home, keeping the area below the deck dry and enjoyable for outdoor living. The specially designed panels and deep water brackets have been tested and approved to handle over 15" of water an hour.



From Left to Right:
Row 1: 518 Black [BLK], 502 Brown [B], 807 Clay [C], 805 Pewter [P805]
Row 2: 177 Sandy Beige [SB177], 827 Champagne [CAB], 280 White [W]
Row 3: 946 Dark Mahogany [DM], 943 Karri [K], 948 Medium Teak [MT]
Row 4: 947 Light Cherry [LC], 949 Rock Maple [RM]

Although we make every effort to ensure color accuracy in our printing process, due to printing limitations, your final products may not be an exact match to those shown.

Inside Out®
Panels







LENGTH	SKU	METAL/ THICKNESS	FINISH	LENGTH & SHIPPING	COLOR AVAILABILITY
10 ft	UDC10	Aluminum 0.024"	Q800 TuffTech	12 pc/ctn 34 lb/ctn 20 ctn/plt 10 plt/trk	SOLID COLORS 518 Black [BLK] 502 Brown [B] 827 Champagne [CAB] 807 Clay [C] 805 Pewter [P805] 177 Sandy Beige [SB177] 280 White [W]
	UDC4PC10	Aluminum 0.024"	Q800 TuffTech	4 pc/ctn 12 lb/ctn 20 ctn/plt 10 plt/trk	
12 ft	UDC12	Aluminum 0.024"	Q800 TuffTech	12 pc/ctn 41 lb/ctn 20 ctn/plt 8 plt/trk	WOODGRAIN COLORS 946 Dark Mahogany [DM] 943 Karri [K] 947 Light Cherry [LC] 948 Medium Teak [MT] 949 Rock Maple [RM]
	UDC4PC12	Aluminum 0.024"	Q800 TuffTech	4 pc/ctn 14 lb/ctn 20 ctn/plt 8 plt/trk	
14 ft	UDC14	Aluminum 0.024"	Q800 TuffTech	12 pc/ctn 48 lb/ctn 20 ctn/plt 6 plt/trk	
	UDC4PC14	Aluminum 0.024"	Q800 TuffTech	4 pc/ctn 16 lb/ctn 20 ctn/plt 6 plt/trk	
16 ft	UDC16	Aluminum 0.024"	Q800 TuffTech	12 pc/ctn 55 lb/ctn 20 ctn/plt 6 plt/trk	
	UDC4PC16	Aluminum 0.024"	Q800 TuffTech	4 pc/ctn 19 lb/ctn 20 ctn/plt 6 plt/trk	

MICHIGAN  MITTEN ICON MEANS PRODUCT MANUFACTURED IN MICHIGAN

Inside Out®
Accessories



DESCRIPTION	SKU	METAL/ THICKNESS	FINISH	LENGTH & SHIPPING	COLOR AVAILABILITY
Panel Carrier 	SYMCARRIER20	Aluminum 0.024"	Q800 TuffTech	12 ft length 20 pc/ctn 47 lb/ctn 30 ctn/plt 8 plt/trk	Black
	SYMCARRIER4PC	Aluminum 0.024"	Q800 TuffTech	12 ft length 4 pc/ctn 10 lb/ctn 30 ctn/plt 8 plt/trk	Black
Perimeter G-Channel 	UDC4PCGC	Aluminum 0.024"	Q800 TuffTech	10 ft length 4 pc/ctn 10 lb/ctn 35 ctn/plt 10 plt/trk	SOLID COLORS 518 Black [BLK] 502 Brown [B] 827 Champagne [CAB] 807 Clay [C] 805 Pewter [P805] 177 Sandy Beige [SB177] 280 White [W]
Side Cap 	UDC4PCSC	Aluminum 0.024"	Q800 TuffTech	10 ft length 4 pc/ctn 12 lb/ctn 35 ctn/plt 10 plt/trk	WOODGRAIN COLORS 946 Dark Mahogany [DM] 943 Karri [K] 947 Light Cherry [LC] 948 Medium Teak [MT] 949 Rock Maple [RM]
Boxed Gutter Kit 	GKIT	Aluminum 0.019"	Q800 TuffTech	12 lb/ctn	518 Black [BLK] 502 Brown [B] 827 Champagne [CAB] 807 Clay [C] 805 Pewter [P805] 177 Sandy Beige [SB177] 280 White [W]
Kit Contents: (2) 12 ft Gutter (1) 2" x 3" Down Pipe (2) 5" Left and Right End Caps (2) Pipe Bands (1) 2" x 3" "A" Style Elbow		(1) 2" x 3" "B" Style Elbow (1) Slip Joint Connector (6) Hidden Hanger (1) 2" x 3" Outlet (25) 0.5" Zip Screws (1) Touch-Up Paint			
TruWrap Window Flashing 	WF4X100			4" x 100 ft 1 roll 6 lb/roll 30 ctn/plt	NA
Carrier Screws 	UDSCREW			1 lb box 2.5" screws	NA

Note: Longer screws
may be needed for
extended length
decks.

**1. Inside Out® Panel**

Center panels, solid color or wood print. Needs to have a graded slope of 1/8" per foot for water to flow into gutter.

2. Panel Carrier

Use to hold and set the angle of the panels. Place every 3 feet. If going down or across the deck joists, 10 screws per carrier are needed. Screw into each joist if going across them.

3. Perimeter G-Channel

Use along the house.

4. Side Cap

Use on the sides of the deck to allow system to hang.

5. Boxed Gutter Kit

Channels water from underdeck down and away from home. Gutter must be installed before panels.

TruWrap Window Flashing

Directs water over flashing.

Carrier Screws

Grommited screws used to hang the panel carrier.

Patents

VESTA STEEL SIDING®

U.S. Patent Nos.: 10,508,455; 10,760,282; 11,255,092; 11,421,423
U.K. Patent: 2,588,713
CAN Patent: 3062997C


Copyrights

- © Sand Dollar Woodgrain Artwork VAu1-378-183
- © Driftwood Woodgrain Artwork VAu1-378-232
- © Autumn Thistle Woodgrain Artwork VAu1-378-233
- © Gilded Grain Woodgrain Artwork VAu 1-382-425
- © Dark Espresso, Aged Walnut, Amber Cherry, Natural Oak, Smokey Ash and Warm Teak Artwork VAu 1-563-903


Building Codes & Best Practices

R703.3 Wall covering nominal thickness and attachments. The nominal thickness and attachment of exterior wall coverings shall be in accordance with Table R703.3, the wall covering material requirements of this section and the wall covering manufacturer’s installation instructions.


SOURCE: IRC 2018




5" Plank - Solid
5PS12
Steel 0.020"




5" Plank - Woodgrain
5PS8HD3
Steel 0.020"




Double 4"
D4S & D4SHD2
Steel 0.016"




Single 8"
S8S & S8SHD2
Steel 0.016"




Single 6"
S6S & S6SHD2
Steel 0.016"




Single 6" Dutch Lap
S6DLS & S6DLSHD2
Steel 0.016"



6" Board & Batten
6BBS & 6BBSHD2
Steel 0.016"



10" Board & Batten
10BBS & 10BBSHD2
Steel 0.016"



5" x 5" Board & Batten
5X5BBS & 5X5BBSHD2
Steel 0.016"

Siding that runs horizontally across your house from end to end is sometimes referred to as HORIZONTAL SIDING or LAP SIDING. Contractors generally use the words clapboard, lap siding and horizontal siding interchangeably.

DUTCH LAP SIDING has a simulated notch/bend along the top edge on the board or panel, which produces a distinct look that simulates a hand-cut notch in each board. Years ago, homeowners wanted more options than just the standard siding, so a carpenter would hand carve the notch along the top of each board. Since it was hand carved, the siding's beveled profile creates more shadowing, which can give a home a more complex texture and elevated design.

BOARD & BATTEN or VERTICAL SIDING is derived from the look of alternating wide boards and narrow wooden strips, called battens, and is traditionally made from wood. TruCedar Board & Batten siding provides the crisp look of real wood, without the need for scraping and repainting.

Vesta PLANK inspired by the beautiful aesthetic of shiplap, with solid and truly realistic woodgrains. Vesta Steel Siding® is engineered to deliver the weather-resistant performance of shiplap, with the added durability and benefit of no-maintenance steel siding.

VESTA PLANK SIDING®




Color Featured: #67 Natural Oak [NOAK]

Real steel. Real deal.

Designed to challenge the status quo Vesta Steel Siding® is competitive in every way to the classic and upkeep-heavy, wood shiplap. Long and narrow panel seams create a subtle horizontal reveal for a distinctive building aesthetic, guaranteed to spark conversation.

With eleven colorful solid hues and six hand-painted HD3 woodgrains to choose from, the focus of the palette is designed to provide simple, inspiring, and limitless color pairings and assembly options to suit anyone with a taste for the bold.





Each color consists of six unique grain configurations designed to resemble the natural variation of stained woods that results when several features interact, including irregular grain, rays and color deposits on the surface of wood. And like real wood, it looks great up-close and at a distance.



From Left to Right:
Row 1: 484 Dark Espresso [DRKE], 480 Autumn Thistle [ATHS], 485 Aged Walnut [AWAL], 481 Driftwood [DFWD],
Row 2: 486 Amber Cherry [AMCH], 489 Warm Teak [WARM], 488 Smokey Ash [SMKA], 487 Natural Oak [NOAK]
Row 3: 482 Gilded Grain [GILD], 483 Sand Dollar [SNDR]







Although we make every effort to ensure color accuracy in our printing process, due to printing limitations, your final products may not be an exact match to those shown.



From Left to Right:
Row 1: 414 Ironstone [IRNS], 462 Silver Lining [SVRL], 280 White [W]
Row 2: 470 Midnight Blue [MNBLU], 467 Evening Shade [EVES], 466 Tourmaline [TOUR], 465 Sea Glass [SEAG]
Row 3: 468 Fawn [FAWN], 469 Fresh Canvas [FCAN], 503 Eggshell [EGG]

Although we make every effort to ensure color accuracy in our printing process, due to printing limitations, your final products may not be an exact match to those shown.

Vesta Plank Siding®

DESCRIPTION	SKU	METAL/ THICKNESS	FINISH	LENGTH & SHIPPING
5" Plank Siding HD3 Woodgrain	5PS8HD3	Steel 0.020"	HD3 Woodgrain: Kynar® 500 CarbonTech90	8 ft length 15 pc/ctn 72 lb/ctn 36 ctn/plt 8 plt/trk ½ square
				
5" Plank Siding Solid	5PS12	Steel 0.020"	Solid: Kynar	12 ft length 10 pc/ctn 71 lb/ctn 36 ctn/plt 8 plt/trk ½ square
				
5" Plank Soffit HD3 Woodgrain	Full Vent 5PS8HD3V	Steel 0.020"	HD3 Woodgrain: Kynar® 500 CarbonTech90	8 ft length 15 pc/ctn 65 lb/ctn 36 ctn/plt 8 plt/trk ½ square
				
	Solid 5PS8HD3			
				
5" Plank Soffit Solid	Full Vent 5PS12V	Steel 0.020"	Solid: Kynar	12 ft length 10 pc/ctn 71 lb/ctn 36 ctn/plt 8 plt/trk ½ square
				
	Solid 5PS12			Vented Soffit available only in Ironstone and White
				

COLORS

SOLID COLORS








- 503 Eggshell [EGG]
- 467 Evening Shade [EVES]
- 468 Fawn [FAWN]
- 469 Fresh Canvas [FCAN]
- 414 Ironstone [IRNS]
- 470 Midnight Blue [MNBULU]
- 465 Sea Glass [SEAG]
- 462 Silver Lining [SVRL]
- 466 Tourmaline [TOUR]
- 280 White [W]

HD3 WOODGRAIN COLORS

- 485 Aged Walnut [AWAL]
- 486 Amber Cherry [AMCH]
- 480 Autumn Thistle [ATHS]
- 484 Dark Espresso [DRKE]
- 481 Driftwood [DFWD]
- 482 Gilded Grain [GILD]
- 487 Natural Oak [NOAK]
- 483 Sand Dollar [SNDR]
- 488 Smokey Ash [SMKA]
- 489 Warm Teak [WARM]

Vesta Plank Accessories®



DESCRIPTION	SKU	METAL/ THICKNESS	FINISH	LENGTH & SHIPPING
6" Vesta Fascia Standard  	6FSVS 6FSVSHD3	Steel 0.016"	Solid: Kynar HD3 Woodgrain: Kynar 500 CarbonTech90	12 ft length 10 pc/ctn 47 lb/ctn 30 ctn/plt 8 plt/trk
8" Vesta Fascia Standard  	8FSVS 8FSVSHD3	Steel 0.016"	Solid: Kynar HD3 Woodgrain: Kynar 500 CarbonTech90	12 ft length 10 pc/ctn 51 lb/ctn 30 ctn/plt 8 plt/trk
6" Vesta Fascia & Lock Architectural  	6FSVSL 6FSVSLHD3	Steel 0.016"	Solid: Kynar HD3 Woodgrain: Kynar 500 CarbonTech90	10 ft length 6 pc/ctn 47 lb/ctn 30 ctn/plt 8 plt/trk
8" Vesta Fascia & Lock Architectural  	8FSVSL 8FSVSLHD3	Steel 0.016"	Solid: Kynar HD3 Woodgrain: Kynar 500 CarbonTech90	10 ft length 6 pc/ctn 51 lb/ctn 30 ctn/plt 8 plt/trk






MICHIGAN



MITTEN ICON MEANS PRODUCT MANUFACTURED IN MICHIGAN

Vesta Plank Accessories®



DESCRIPTION	SKU	METAL/ THICKNESS	FINISH	LENGTH & SHIPPING
Outside Corner Post Dual Nail Flange 	OCPVS OCPVSHD3	Steel 0.016"	Solid: Kynar HD3 Woodgrain: Kynar 500 CarbonTech90	10 ft length 6 pc/ctn 54 lb/ctn 12 ctn/plt 10 plt/trk
Outside Corner Post Single Nail Flange 	OCPSP OCPSPHD3	Steel 0.016"	Solid: Kynar HD3 Woodgrain: Kynar 500 CarbonTech90	10 ft length 10 pc/ctn 42 lb/ctn 20 ctn/plt 8 plt/trk
Inside Corner Block 	ICBPS ICBHD3	Steel 0.016"	Solid: Kynar HD3 Woodgrain: Kynar 500 CarbonTech90	10 ft length 10 pc/ctn 24 & 27 lb/ctn 20 ctn/plt 8 plt/trk
Drip Cap 	DCP DCPHD3	Steel 0.016"	Solid: Kynar HD3 Woodgrain: Kynar 500 CarbonTech90	10 ft length 10 pc/ctn 21 lb/ctn 15 ctn/plt 8 plt/trk
L-Flashing 	L58S L58SHD3	Steel 0.016"	Solid: Kynar HD3 Woodgrain: Kynar 500 CarbonTech90	10 ft length 25 pc/ctn 34 lb/ctn 40 ctn/plt 8 plt/trk





COLORS

SOLID COLORS


- 503 Eggshell [EGG]
- 467 Evening Shade [EVES]
- 468 Fawn [FAWN]
- 469 Fresh Canvas [FCAN]
- 414 Ironstone [IRNS]
- 470 Midnight Blue [MNBLU]
- 465 Sea Glass [SEAG]
- 462 Silver Lining [SVRL]
- 466 Tourmaline [TOUR]
- 280 White [W]


HD3 WOODGRAIN COLORS

- 485 Aged Walnut [AWAL]
- 486 Amber Cherry [AMCH]
- 480 Autumn Thistle [ATHS]
- 484 Dark Espresso [DRKE]
- 481 Driftwood [DFWD]
- 482 Gilded Grain [GILD]
- 487 Natural Oak [NOAK]
- 483 Sand Dollar [SNDR]
- 488 Smokey Ash [SMKA]
- 489 Warm Teak [WARM]


DESCRIPTION	SKU	METAL/ THICKNESS	FINISH	LENGTH & SHIPPING
Brick Ledge Flashing 	BLFP BLFPHD3	Steel 0.016"	Solid: Kynar HD3 Woodgrain: Kynar 500 CarbonTech90	10 ft length 10 pc/ctn 28 lb/ctn 40 ctn/plt 8 plt/trk
Plank Starter Strip 	PSS PSSHD3	Steel 0.016"	Solid: Kynar HD3 Woodgrain: Kynar 500 CarbonTech90	10 ft length 10 pc/ctn 49 lb/ctn 40 ctn/plt 8 plt/trk
H-Channel 	5HCP 5HCPHD3	Steel 0.016"	Solid: Kynar HD3 Woodgrain: Kynar 500 CarbonTech90	10 ft length 10 pc/ctn 26 lb/ctn 15 ctn/plt 8 plt/trk
J-Channel 	J5P J5PHD3	Steel 0.016"	Solid: Kynar HD3 Woodgrain: Kynar 500 CarbonTech90	12 ft length 25 pc/ctn 48 lb/ctn 40 ctn/plt 8 plt/trk



DESCRIPTION	SKU	METAL/ THICKNESS	FINISH	LENGTH & SHIPPING
Support Trim 	PST	Steel 0.016"	Mill	10 ft length 10 pc/ctn 16 lb/ctn 15 ctn/plt 8 plt/trk

14.77" x 30 ft Trim Coil 	T1430SM T1430SMHD3	Steel 0.016"	Solid: Kynar HD3 Woodgrain: Kynar 500 CarbonTech90	30 ft length 1 roll 29 lb/ctn 32 ctn/plt 26 plt/trk
---	-----------------------	-----------------	---	---

DESCRIPTION	SKU	FINISH	LENGTH & SHIPPING	COLOR AVAILABILITY
Touch-Up Paint 	BRUSH BRUSHHD3	PVDF	1 pc/ctn	503 Eggshell [EGG] 467 Evening Shade [EVES] 468 Fawn [FAWN] 469 Fresh Canvas [FCAN] 414 Ironstone [IRNS] 470 Midnight Blue [MNBLU] 465 Sea Glass [SEAG] 462 Silver Lining [SVRL] 466 Tourmaline [TOUR] 280 White [W] 485 Aged Walnut [AWAL] 486 Amber Cherry [HD2ENG] 480 Autumn Thistle [HD2ENG] 484 Dark Espresso [DRKE] 481 Driftwood [GDSK] 482 Gilded Grain [GILD] 487 Natural Oak [HD2CDR] 483 Sand Dollar [SVRL] 488 Smokey Ash [HD2NAP] 489 Warm Teak [HD2CID]

Saw Blade 	7.25SSB	Carbide Tipped Blade	1 pc/ctn	
---	---------	-------------------------	----------	--

COLORS

SOLID COLORS

503 Eggshell [EGG]
 467 Evening Shade [EVES]
 468 Fawn [FAWN]
 469 Fresh Canvas [FCAN]
 414 Ironstone [IRNS]
 470 Midnight Blue [MNBLU]
 465 Sea Glass [SEAG]
 462 Silver Lining [SVRL]
 466 Tourmaline [TOUR]
 280 White [W]

HD3 WOODGRAIN COLORS

485 Aged Walnut [AWAL]
 486 Amber Cherry [AMCH]
 480 Autumn Thistle [ATHS]
 484 Dark Espresso [DRKE]
 481 Driftwood [DFWD]
 482 Gilded Grain [GILD]
 487 Natural Oak [NOAK]
 483 Sand Dollar [SNDR]
 488 Smokey Ash [SMKA]
 489 Warm Teak [WARM]



1. Plank Panel

8 ft woodgrain panels and 12 ft solid panels

2. Plank Starter Strip

Secures the first row of panels to the wall. Color matched starter strip for the panels to hook into.

3. Outside Corner Post

Installed at the outside corner of the wall, allowing siding to be inserted on both sides.

4. Inside Corner Block

Used to flash inside corners. Use with or without J-Channel.

5. J-Channel

Installed around windows and doors, also used to cap the last row of panels.

6. L-Flashing

Install as an alternative to J-Channel on the sides of windows or doors.

7. Plank Drip Cap

Installed above windows and doors to keep water away. Also used as a starter when installing panels vertical. Drip Cap is color matched.

8. Trim Coil

Used to make custom parts and flashing on site.

9. Support Trim

Used to support the last row of panels, must be installed inside of J-channel, the cut piece of siding is inserted in between the support trim and J-channel.

Brick Ledge Flashing

Installed over a brick or stone wall transition to keep water out.

H-Channel

Used as a transition/seam from solid or woodgrain finish on the wall.

TRUCEDAR®

LAP AND BOARD & BATTEN SIDING



Color Featured: M16 Cider Mill (CID)

A tru difference maker.

Quality Edge believes in manufacturing innovation that endures from materials that last. TruCedar® Steel Siding utilizes one of the strongest, most versatile and recyclable materials on our planet, reducing your carbon footprint and safeguarding against costly repairs.


From pencil sketch to finished profile, our entire siding collection was expertly engineered to blend the best of both durability and aesthetic. TruCedar Siding's steel core provides unmatched impact resistance that doesn't crack, melt or wick water like other siding materials and perfectly mimics the look of real wood siding in a range of curated color options.



SOLID COLORS







HD2 WOODGRAIN COLORS



- From Left to Right:
- Row 1: 411 Cottage Red [CRED], 307 Ripe Olive [RO], 470 Midnight Blue [MNBLU], 405 Foothill Blue [FHB], 467 Evening Shade [EVES]
- Row 2: 425 Statuary Bronze [STB], 414 Ironstone [IRNS], 415 Gray Dusk [GDSK], 462 Silver Lining [SVRL], 805 Pewter [P805], 280 White [W]
- Row 3: 410 Thatch [THA], 468 Fawn [FAWN] 509 Norwood [NOR], 401 Bennington Beige [BENB], 469 Fresh Canvas [FCAN], 503 Eggshell [EGG]
- Row 5: 106 Timber Ash [TASH], M15 Napa Vine [NAP], 109 Cedar [CDR]
- Row 6: M17 English Saddle [ENG], M16 Cider Mill [CID], 416 Spruce [SPR], 108 Weathered Wood [WWD]

Although we make every effort to ensure color accuracy in our printing process, due to printing limitations, your final products may not be an exact match to those shown.

TruCedar® Lap Siding

DESCRIPTION	SKU	METAL/ THICKNESS	FINISH	LENGTH & SHIPPING
Double 4" 	D4S D4SHD2	Steel 0.016"	Kynar CarbonTech60	12 ft 6 ½ in length 12 pc/ctn 94 lb/ctn 30 ctn/plt 8 plt/trk 1 square
Single 6" 	S6S S6SHD2	Steel 0.016"	Kynar CarbonTech60	12 ft 6 ½ in length 8 pc/ctn 60 lb/ctn 30 ctn/plt 8 plt/trk ½ square
Single 6" Foam Backed	S6FBS S6FBSHD2	Steel 0.016"	Kynar CarbonTech60	
Single 6" Dutch Lap 	S6DLS S6DLSHD2	Steel 0.016"	Kynar CarbonTech60	12 ft 6 ½ in length 8 pc/ctn 60 lb/ctn 30 ctn/plt 8 plt/trk ½ square
Single 6" Dutch Lap Foam Backed	S6DLFBS S6DLFBSHD2	Steel 0.016"	Kynar CarbonTech60	
Single 8" 	S8S S8SHD2	Steel 0.016"	Kynar CarbonTech60	12 ft 6 ½ in length 12 pc/ctn 88 lb/ctn 30 ctn/plt 8 plt/trk 1 square

COLORS

SOLID COLORS

401 Bennington Beige [BENB]
 411 Cottage Red [CRED]
 503 Eggshell [EGG]
 467 Evening Shade [EVES]
 468 Fawn [FAWN]
 405 Foothill Blue [FHB]
 469 Fresh Canvas [FCAN]
 415 Gray Dusk [GDSK]




414 Ironstone [IRNS]
 470 Midnight Blue [MNBULU]
 509 Norwood [NOR]
 805 Pewter [P805]
 307 Ripe Olive [RO]
 462 Silver Lining [SVRL]
 425 Statuary Bronze [STB]
 410 Thatch [THA]
 280 White [W]

HD2 WOODGRAIN COLORS

109 Cedar [CDR]
 M16 Cider Mill [CID]
 M17 English Saddle [ENG]
 M15 Napa Vine [NAP]
 416 Spruce [SPR]
 106 Timber Ash [TASH]
 108 Weathered Wood [WWD]

TruCedar® Board & Batten Siding





DESCRIPTION	SKU	METAL/ THICKNESS	FINISH	LENGTH & SHIPPING
6" Board & Batten 	6BBS 6BBSHD2	Steel 0.016"	Kynar CarbonTech60	10 ft length 10 pc/ctn 62 lb/ctn 30 ctn/plt 8 plt/trk ½ square
10" Board & Batten 	10BBS 10BBSHD2	Steel 0.016"	Kynar CarbonTech60	10 ft length 6 pc/ctn 56 lb/ctn 30 ctn/plt 8 plt/trk ½ square
5" x 5" Board & Batten 	5X5BBS 5X5BBSHD2	Steel 0.016"	Kynar CarbonTech60	10 ft length 6 pc/ctn 56 lb/ctn 30 ctn/plt 8 plt/trk ½ square



TruCedar® Seamless Siding



DESCRIPTION	SKU	METAL/ THICKNESS	FINISH	LENGTH & SHIPPING
9.075" Seamless Siding 	SSC9.075	Steel 0.016"	Kynar CarbonTech60	1 roll 500 lb/roll 1 ctn/plt 55 plt/trk
	SSC9.075HD2			
	MSSC9.075	Steel 0.016"	Kynar CarbonTech60	1 roll 350 lb/roll 1 ctn/plt 55 plt/trk
	MSSC9.075HD2			
10.77" Seamless Siding 	SSC10.77	Steel 0.016"	Kynar CarbonTech60	1 roll 700 lb/roll 1 ctn/plt 55 plt/trk
	SSC10.77HD2			
	MSSC10.77	Steel 0.016"	Kynar CarbonTech60	1 roll 350 lb/roll 1 ctn/plt 55 plt/trk
	MSSC10.77HD2			

COLORS



SOLID COLORS

- 401 Bennington Beige [BENB]
- 411 Cottage Red [CRED]
- 503 Eggshell [EGG]
- 467 Evening Shade [EVES]
- 468 Fawn [FAWN]
- 405 Foothill Blue [FHB]
- 469 Fresh Canvas [FCAN]
- 415 Gray Dusk [GDSK]

- 414 Ironstone [IRNS]
- 470 Midnight Blue [MNBLU]
- 509 Norwood [NOR]
- 805 Pewter [P805]
- 307 Ripe Olive [RO]
- 462 Silver Lining [SVRL]
- 425 Statuary Bronze [STB]
- 410 Thatch [THA]
- 280 White [W]







HD2 WOODGRAIN COLORS

- 109 Cedar [CDR]
- M16 Cider Mill [CID]
- M17 English Saddle [ENG]
- M15 Napa Vine [NAP]
- 416 Spruce [SPR]
- 106 Timber Ash [TASH]
- 108 Weathered Wood [WWD]

DESCRIPTION	SKU	METAL/ THICKNESS	FINISH	LENGTH & SHIPPING
13.25" Seamless Siding 	SSC13.25	Steel	Kynar	1 roll
	SSC13.25HD2	0.016"	CarbonTech60	700 lb/roll 1 ctn/plt 55 plt/trk
	MSSC13.25	Steel	Kynar	1 roll
	MSSC13.25HD2	0.016"	CarbonTech60	350 lb/roll 1 ctn/plt 55 plt/trk
14.77" Seamless Siding 	SSC14.77	Steel	Kynar	1 roll
	SSC14.77HD2	0.016"	CarbonTech60	700 lb/roll 1 ctn/plt 55 plt/trk
	MSSC14.77	Steel	Kynar	1 roll
	MSSC14.77HD2	0.016"	CarbonTech60	350 lb/roll 1 ctn/plt 55 plt/trk



TruCedar® Accessories

DESCRIPTION	SKU	METAL/ THICKNESS	FINISH	LENGTH & SHIPPING
6" TruCedar® Fascia 	6FSS 6FSSHD2	Steel 0.016"	Kynar CarbonTech60	12 ft length 10 pc/ctn 54 lb/ctn 30 ctn/plt 8 plt/trk
8" TruCedar® Fascia 	8FSS 8FSSHD2	Steel 0.016"	Kynar CarbonTech60	12 ft length 10 pc/ctn 69 lb/ctn 30 ctn/plt 8 plt/trk
Brick Ledge Flashing 	BLF BLFHD2	Steel 0.016"	Kynar CarbonTech60	10 ft length 10 pc/ctn 24 lb/ctn 40 ctn/plt 8 plt/trk
(0.75") ¾" J-Channel 	J75S J75SHD2	Steel 0.016"	Kynar CarbonTech60	12 ft length 25 pc/ctn 54 lb/ctn 40 ctn/plt 8 plt/trk
1" J-Channel 	J1S J1SHD2	Steel 0.016"	Kynar CarbonTech60	10 ft length 25 pc/ctn 41 lb/ctn 40 ctn/plt 8 plt/trk
(0.625") 5/8" L-Channel (Not Embossed) 	L58S L58SHD2	Steel 0.016"	Kynar CarbonTech60	10 ft length 25 pc/ctn 34 lb/ctn 40 ctn/plt 8 plt/trk

COLORS

SOLID COLORS







401 Bennington Beige [BENB]
 411 Cottage Red [CRED]
 503 Eggshell [EGG]
 467 Evening Shade [EVES]
 468 Fawn [FAWN]
 405 Foothill Blue [FHB]
 469 Fresh Canvas [FCAN]
 415 Gray Dusk [GDSK]

414 Ironstone [IRNS]
 470 Midnight Blue [MNBUL]
 509 Norwood [NOR]
 805 Pewter [P805]
 307 Ripe Olive [RO]
 462 Silver Lining [SVRL]
 425 Statuary Bronze [STB]
 410 Thatch [THA]
 280 White [W]






HD2 WOODGRAIN COLORS

109 Cedar [CDR]
 M16 Cider Mill [CID]
 M17 English Saddle [ENG]
 M15 Napa Vine [NAP]
 416 Spruce [SPR]
 106 Timber Ash [TASH]
 108 Weathered Wood [WWD]

TruCedar® Accessories

DESCRIPTION	SKU	METAL/ THICKNESS	FINISH	LENGTH & SHIPPING
(0.625") 5/8" Undersill (Not Embossed) 	UTS UTSHD2	Steel 0.016"	Kynar CarbonTech60	12 ft length 25 pc/ctn 40 lb/ctn 40 ctn/plt 8 plt/trk
1-Piece Inside Corner Block 	ICB ICBHD2	Steel 0.016"	Kynar CarbonTech60	10 ft length 10 pc/ctn 24 lb/ctn 15 ctn/plt 8 plt/trk
1-Piece Outside Corner Post 	OCPS OCPSHD2	Steel 0.016"	Kynar CarbonTech60	10 ft length 10 pc/ctn 78 lb/ctn 15 ctn/plt 8 plt/trk
2-Piece Outside Corner Post Cap 	OCPS2P OCPS2PHD2	Steel 0.016"	Kynar CarbonTech60	10 ft length 10 pc/ctn 47.5 lb/ctn 15 ctn/plt 8 plt/trk
2-Piece Outside Corner Post Base 	OCBJ	Steel 0.016"	Kynar CarbonTech60	10 ft length 10 pc/ctn 44 lb/ctn 20 ctn/plt 8 plt/trk <i>Black only</i>
Batten Trim (Used for Board & Batten) 	BT10 BT10HD2	Steel 0.016"	Kynar CarbonTech60	10 ft length 10 pc/ctn 30 lb/ctn 30 ctn/plt 8 plt/trk
14.77" x 30 ft Trim Coil (TruCedar Embossed) 	T1430S T1430SHD2	Steel 0.016"	Kynar CarbonTech60	30 ft length 1 roll 29 lb/ctn 40 ctn/plt 8 plt/trk

TruCedar® Accessories

DESCRIPTION	SKU	METAL/ THICKNESS	FINISH	LENGTH & SHIPPING
Z-Flashing (Used for Board & Batten) 	BBZT10 BBZT10HD2	Steel 0.016"	Kynar CarbonTech60	10 ft length 10 pc/ctn 18 lb/ctn 40 ctn/plt 8 plt/trk
Z-Flashing (Used for Board & Batten, works with 1" J-Channel) 	BBZT10X1 BBZT10X1HD2	Steel 0.016"	Kynar CarbonTech60	10 ft length 10 pc/ctn 18 lb/ctn 40 ctn/plt 8 plt/trk
3" Starter Strip 	3SSGAL	Steel 0.0155"	Mill	10 ft length 25 pc/ctn 40 lb/ctn 72 ctn/plt 10 plt/trk
4" Starter Strip 	4SSGAL	Steel 0.0155"	Mill	10 ft length 20 pc/ctn 48 lb/ctn 63 ctn/plt 10 plt/trk
Touch-Up Paint 	BRUSH BRUSHHD2	-	PVDF	1 pc
Saw Blade 	7.25SSB	-	Carbide Tipped Blade	1 pc

COLORS

SOLID COLORS

401 Bennington Beige [BENB]
 411 Cottage Red [CRED]
 503 Eggshell [EGG]
 467 Evening Shade [EVES]
 468 Fawn [FAWN]
 405 Foothill Blue [FHB]
 469 Fresh Canvas [FCAN]
 415 Gray Dusk [GDSK]

414 Ironstone [IRNS]
 470 Midnight Blue [MNBLU]
 509 Norwood [NOR]
 805 Pewter [P805]
 307 Ripe Olive [RO]
 462 Silver Lining [SVRL]
 425 Statuary Bronze [STB]
 410 Thatch [THA]
 280 White [W]

HD2 WOODGRAIN COLORS

109 Cedar [CDR]
 M16 Cider Mill [CID]
 M17 English Saddle [ENG]
 M15 Napa Vine [NAP]
 416 Spruce [SPR]
 106 Timber Ash [TASH]
 108 Weathered Wood [WWD]



1. Siding

Horizontal siding offered in Double 4", Single 6", Single 6" Dutch Lap and Single 8". Vertical siding offered in 6" & 10" Board and Batten profiles.

2. J-Channel

Use to cover cut edges of siding. Also used around sides and tops of windows and doors, eave line of gables, roof line of rakes, and in other areas where panel must be cut or notched.

3. L-Channel

Install as an alternative to J-Channel on the sides of windows or doors.

4. Undersill

Use to cover cut edge of panel.

5. 1 & 2-Piece Outside Corner Post

Installed at the outside corner of the wall, allowing siding to be inserted on both sides.

6. Inside Corner Block

Use to flash inside corners.

7. Trim Coil

Use for custom flashing.

8. Starter Strip

Secures the first row of panels to the wall. Needed for both lap and Board & Batten applications.

9. Batten Trim

Use at base of Board & Batten panels to close the openings of the battens. Adds an authentic look as a starter.

10. Fascia



Pre-engineered Fascia that saves time and looks great.

Z-Flashing

Use with Board & Batten to connect panels longer than 10 ft high.

Brick Ledge Flashing

Installed over a brick or stone wall transition to keep water out.



NESG

© 2026 Quality Edge



MICHIGAN • TEXAS • GEORGIA • NEW YORK

[QUALITYEDGE.COM](https://qualityedge.com)